



PGC 1860 is a fiberglass cloth which available as plain or 9383 heat treated. Well suited for use in removable insulation blankets, expansion joints, welding blankets and other high temperature applications. PGC 1860 can also be fabricated with stainless steel reinforcing for added strength and durability.

PRODUCT DATA

Weight	18.0 oz sy (610 gsm) +/- 10%
Thickness	0.030 inches +/- 10%
Color	Beige
Coating	None
Base Fabric / Weave	Plain
Width \ Length	60 inches x 50 Yards
Tensile W x F	200 x 100 lbs / inch
Flame Resistance	
Char Length	1" maximum
Afterglow	1 second maximum
Flame Out	1 second maximum
Temperature Rating	
Treatment	Not Applicable
Base Fabric	1000 F (537.8 C)

This information is given in good faith and is believed to be accurate. This information is provided as a specification guide only. No specific Warranties are expressed or implied. It is the purchasers' responsibility to ensure the suitability for use of this product for their specific application.